Technical Information

QwikSet Mirro-Mastic®

Product Name

QwikSet Mirro-Mastic®

For orders or more information contact:
Caliber Supply, LLC
P.O. Box 22041 Mesa, AZ 85277
Phone (480) 336-8342
Caliber-Supply.com

Basic Use
QwikSet Mirro-Mastic® is a high quality, fast curing, adhesive mastic formulated for adhering plate glass mirror to various substrates.

Note: Do not use on acrylic mirror or safety backings.

Technical Data

Appearance
Viscous liquid

Application temperature
59ºF to 95ºF (15ºC to 35ºC)

Cleanup
Mineral spirits

Color
Black

Composition and materials
QwikSet is a rubber base adhesive

Coverage
With **minimum** coverage, one 10.1 fl oz (300 ml) cartridge will install approximately 20 square feet (1.9 square meters) of mirror

Curing time
Curing time will depend on temperature, humidity, type of substrate and amount of air that can reach the mastic

Density
8.300 – 8.700 lb/gal

Flash point
64.4°F (18°C)

Packaging
10.1 fl oz (300 ml) per cartridge (24 per case)

Shelf Life
One year from the production date for an unopened cartridge

Storage
50ºF to 85ºF (10ºC to 29.4ºC)

Viscosity
No data available

VOC Content
293 g/L

WARNING: All Palmer products must be used only for approved purposes, and must be applied only in accordance with Palmer's installation instructions. The user bears all risk of damage, injury or other loss arising out of any nonapproved use and/or improper installation of any Palmer product. If Palmer's installation instructions are not followed, in whole or part, for whatever reason, then mechanical fasteners of sufficient size and strength must immediately be used to insure safety of the installation pending prompt proper reinstallation by the product user. Any failure to properly utilize or apply any Palmer product may result in property damage, bodily injury or death. Palmer shall not be responsible for these or any other types of misuse of its products.